## Suicide and Criminal Legal Problems in Virginia:

A Report from the Virginia Violent Death Reporting System

2007-2008

Published September, 2011

by:

Marc E. Leslie, MS, VVDRS Coordinator Richmond Baker, VVDRS Surveillance Coordinator Jennifer Burns, VVDRS Surveillance Coordinator Debra Clark, VVDRS Surveillance Coordinator Rachael Luna, VVDRS Surveillance Coordinator

VVDRS online: http://www.vdh.virginia.gov/medExam/NVDRS.htm

Suggested citation: Virginia Violent Death Reporting System (VVDRS), Office of the Chief Medical Examiner, Virginia Department of Health. *Suicide and Criminal Legal Problems in Virginia: 2007-2008*. September, 2011.

The research files for this report were created on November 9, 2010. Data may continue to be entered and altered in VVDRS after this date.

The publication was supported by Award Number U17/CE001315 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

## Acknowledgements

This report is possible through the support and efforts of those who generously contribute their time and expertise to the VVDRS. We gratefully acknowledge the ongoing contributions of our Forensic Pathologists and Pathology Fellows whose expertise adds depth to our knowledge. We acknowledge the contributions of the OCME State and District Administrators who support the project's human resources requirements. We recognize the critical role of our Medicolegal Death Investigators and Medical Examiners in the collection and analysis of information that is the foundation for our work. We appreciate the support of all office and forensic staff who participate actively in our quest for information. Finally, we applied the efforts of our Surveillance Coordinators whose commitment moves this project forward.

## Virginia Violent Death Reporting System Advisory Committee Members

Christina Benton, MPH Suicide Prevention Manager

Division of Prevention and Health Promotion

Virginia Department of Health

Leah L.E. Bush, MS, MD Chief Medical Examiner

Office of the Chief Medical Examiner Virginia Department of Health

Joseph L. Cannon Special Agent in Charge

Department of Alcoholic Beverage Control

K. Scott Downs First Sergeant

Virginia Department of State Police

Andrew Goddard President

Virginia Center for Public Safety

Sherrie N. Goggans Project Manager

Virginia Sexual and Domestic Violence Action Alliance

Stephanie Goodman

Data and Evaluation Coordinator

Division of Prevention and Health Promotion

Virginia Department of Health

John W. Jones Executive Director

Virginia Sheriff's Association

Rita L. Katzman Program Manager Child Protective Services

Virginia Department of Social Services

Peter M. Marone, MS

Director

Virginia Department of Forensic Science

James M. Martinez, Jr., MEd

Director

Office of Mental Health Services

Virginia Department of Behavioral Health and

Developmental Services

Janet M. Rainey

Director

Division of Vital Records Virginia Department of Health

Calvin T. Reynolds

Director

Division of Health Statistics Virginia Department of Health

Dana G. Schrad, Esq. Executive Director

Virginia Association of Chiefs of Police

Johanna W. Schuchert Executive Director


Prevent Child Abuse Virginia


There are many motivating factors that compel persons to complete suicide. These factors may be chronic (e.g., health issues) or acute (e.g., intimate partner conflict). A portion of persons who complete suicide do so, in part, because of existing or impending felony-level criminal charges. Criminal legal problems are a factor for 12% of all persons who complete suicide (14% of males, 5% of females).

This report examines types of criminal legal problems for 183 Virginia residents (186 males, 22 females) who completed suicide between the years 2007-2008. Data are from the Virginia Violent Death Reporting System (VVDRS).<sup>1</sup> The VVDRS abstracts data from several sources, primarily the Virginia Office of the Chief Medical Examiner, law enforcement, the Virginia Division of Vital Records, and the Virginia Department of Forensic Science.

Persons with suicides related to criminal problems were primarily White (81%) and male (89%). Figure 1 shows race and gender groupings. While White males comprised 71% of those with a criminal legal problem, a higher proportion of Black males (25% of total) had criminal problems than did White males (13% of total). Median age was 42 (compared to 47 for those without criminal problems) and the most common age group was ages 45-54 (31%). Many completed suicide while incarcerated or just prior to an impending arrest (24%). Greater than one-third (37%) completed suicide after consuming alcohol.

Many of these persons had criminal charges that were violent by nature (43%) including homicide, attempted homicide, physical assault, and sexual assault. Violence was directed towards adult intimate partners 16%, towards adult nonintimate partners 11%, and towards children in 10% of all cases.





Virginia Department of Health, Office of the Chief Medical Examiner • September, 2011

Page 1

<sup>&</sup>lt;sup>1</sup> Virginia is one of eighteen states participating in the National Violent Death Reporting System (NVDRS). For more about the NVDRS, see http://www.cdc.gov/ViolencePrevention/NVDRS/index.html. For definitions of terms see the NVDRS coding manual: http://www.cdc.gov/violenceprevention/pdf/NVDRS Coding Manual Version 3-a.pdf.

The single most common type of criminal problem (23% of total) was a charge of operating a motor vehicle while intoxicated or under the influence of alcohol (DUI/DWI). This was followed by the molestation or sexual assault of a child (9%); robbery, theft, or burglary (8%); physical assault of an intimate partner (7%); and using, manufacturing, selling, or buying illegal drugs (6%). Table 1 lists the selected categories of criminal legal problems and the specific types of crimes for each broad category.

Table 1. Selected Criminal Legal Problems for Persons who Completed Suicide in Virginia, 2007-2008 (*N* = 183)<sup>1</sup>

Category/Types	#	%
General	104	57
DUI/DWI	42	23
Robbery, theft, or burglary	14	8
Drugs (any type of involvement)	11	6
Money laundering/tax evasion/embezzlement	11	6
Eluding/fleeing from police	10	5
Parole/probation violation	8	4
Moving violation (other than DUI/DWI)	7	4
Child support non-payment	6	3
Rape/Sexual Assault	27	15
Rape/sexual assault of child	17	9
Rape/sexual assault of non-intimate adult	4	2
Rape/sexual assault of unknown relationship	4	2
Rape/sexual assault of adult intimate partner	2	1
Physical Assault (non-sexual, non-fatal)	26	14
Physical assault of intimate partner	12	7
Physical assault of non-intimate partner	5	3
Physical assault of unknown relationship	4	2
Abduction of intimate partner	2	1
Abuse or neglect of child (non-sexual)	1	1
Taking a child hostage	1	1
Threatening to kill intimate partner	1	1
Crimes involving Children	25	14
Rape/sexual assault	17	9
Child pornography	6	3
Contributing to the delinquency of a minor	2	1
Abuse or neglect of child (non-sexual)	1	1
Child endangerment	1	1
Taking a child hostage	1	1
Homicide	22	12
Homicide of intimate partner	8	4
Homicide of non-intimate adult	7	4
Attempted homicide of intimate partner	5	3
Attempted homicide of non-intimate adult	4	2
Homicide of unknown relationship	1	1

<sup>&</sup>lt;sup>1</sup> More than one type of problem can be noted per person.

These persons were experiencing other life stressors. Greater than two-fifths (42%) were having intimate partner conflict, 38% had mental health problems, 33% had a problem with alcohol and/or other substances, and 14% were experiencing financial problems. For 22%, however, a criminal problem was the only noted life stressor. Most of these suicides (78%) were precipitated by a life crisis that had occurred in the 24 hours (56%) or in the two weeks prior to the suicide (22%), suggesting that the suicide was an immediate response to that crisis.

Those with suicides linked to criminal problems often openly disclosed suicidal intentions (31%) or had prior non-fatal suicide attempts (13%). Combined, 38% had one or both of these indicators of suicide risk. Even though most of these persons were going through an acute crisis, greater than one-third presented a clear opportunity for preventative measures to be taken.

These findings illuminate the life stressors among a subset of persons who complete suicide. While many were facing serious criminal charges likely to result in a lengthy incarceration, others were expecting sanctions not likely to involve jail or prison stays. Nonetheless, it appears that they felt that the criminal problems they were facing could not be overcome or that they could not cope with the legal consequences. This information should instruct friends and family members of persons dealing with criminal problems to evaluate suicide risk, and to take seriously disclosures such as "I won't go to prison" that often sound like hyperbole. For those in the criminal justice system, the wide range of crimes suggests that individuals may consider suicide as an alternative to the consequences of criminal charges, even when these charges are unlikely to result in incarceration.